

**Amendments to the Claims:**

Please amend claims 25, 28, 30, 38, and 42. Following is a complete listing of the claims pending in the application, as amended:

1. (Canceled)
2. (Canceled)
3. (Previously Presented) The server of claim 25 wherein the location comprises a universal resource locator (URL).
4. (Previously Presented) The server of claim 25 wherein the location specifies a media to be used to save the scanning data.
5. (Previously Presented) The server of claim 25 further comprising a login system configured to enable said user to access said driver selection system following establishing an identity of the user.
6. (Previously Presented) The server of claim 5 wherein the login system is configured to correlate the identity of the user with an account on the server, and wherein the scanning data is saved in association with the account.
7. (Previously Presented) The server of claim 6 wherein the account comprises an e-mail account.
8. (Original) The server of claim 6 further comprising a viewing system for enabling the user to view the scanning data saved in the account.
9. (Canceled)

10. (Previously Presented) The server of claim 25 wherein the driver is configured to be removed from the computer after the scanning data is saved in said location.

11. (Previously Presented) The server of claim 25, further comprising:  
a delivery system to transfer said selected driver to said computer; and  
a network connection configured to transmit information between said data transmission network and at least one of said driver selection system or said delivery system.

12. (Canceled)

13. (Previously Presented) The system of claim 28, wherein said server is configured to populate a menu viewable at said computer on said browser identifying two or more of said plurality of scanner drivers.

14. (Previously Presented) The system of claim 28, wherein said server is configured to render said menu according to a hypertext transfer protocol.

15. (Previously Presented) The system of claim 28, wherein said server further comprises a login system that enables said computer to access said driver selection system in response to authentication of said user.

16. (Previously Presented) The system of claim 15, wherein said server is configured to store one or more cookies on said computer in response to said authentication.

17. (Canceled)

18. (Previously Presented) The method of claim 30, further comprising:  
authenticating a user at said computer in response to information received at  
said browser; and  
enabling said selection of said at least one scanner driver in response to said  
authenticating said user.

19. (Previously Presented) The method of claim 30, wherein said receiving  
said information over said data transmission network comprises receiving said  
information according to a hypertext transfer protocol.

20. (Previously Presented) The method of claim 30, wherein said enabling  
selection of at least one scanner driver in response to said received information  
comprises receiving inputs from a menu rendered on said browser.

21. (Previously Presented) The server of claim 25, wherein said location  
comprises an electronic mail (e-mail) account address.

22. (Previously Presented) The system of claim 28, wherein said location  
comprises a universal resource locator (URL).

23. (Previously Presented) The system of claim 28, wherein said location  
comprises an electronic mail (e-mail) account address.

24. (Previously Presented) The server of claim 25, wherein said destination  
selection system is further configured to:

determine whether said user has write permission associated with said location;  
and  
warn said user if said location is not a valid destination for storing said scanning  
data.

25. (Currently Amended) A server for a network, the server configured to enable a user at a computer to scan a document at a scanner to obtain scanning data, the server comprising:

a database of scanner drivers;

a driver selection system configured to enable the user to select a driver for the scanner from the database of scanner drivers in response to one or more inputs provided to a browser hosted at said computer, wherein said browser enables the user to browse information received over a data transmission network, and wherein said one or more inputs are received at said server over said data transmission network; and

a destination selection system configured to enable said user to select a location from said browser for saving said scanning data, said location being selected from locations including locations other than said computer; and further configured to insert a destination address of the selected location for saving said scanning data in a self-extracting executable file, wherein the selected driver is configured to be transferred to the station in the self-extracting executable file, and

wherein the destination address is extracted from the self-extracting executable file if the self-extracting executable file is executed by said computer.

26. (Canceled)

27. (Canceled)

28. (Currently Amended) A system comprising:

a scanning station, ~~said scanning station~~ comprising a computer connected to a data transmission network, said computer ~~hosting~~ including a browser that enables a user to browse information received over said data transmission network, and a scanner in communication with said computer; and

a server, ~~said server~~ comprising:

a database to store a plurality of scanner drivers;  
a driver selection system to select one of said plurality of scanner drivers  
in response to one or more inputs provided to said browser and  
received over said data transmission network;  
a destination selection system to determine a location for storing scanning  
data from inputs to said browser, said location being selected from  
locations including locations other than said computer; and  
a delivery system to transmit said selected driver to said computer over  
said data transmission network,  
wherein said transmitted driver is configured to enable said computer to  
store images captured at said location,  
wherein the selected driver is ~~transmitted~~ provided to said computer as a  
self-extracting executable file, and  
wherein said destination selection system is further configured to insert a  
destination address of the selected location for storing said  
scanning data in the self-extracting executable file, and  
wherein the destination address is extracted from the self-extracting  
executable file if the self-extracting executable file is executed by  
said computer.

29. (Canceled)

30. (Currently Amended) A method comprising:  
receiving information over a data transmission network from a browser hosted on  
a computer, wherein said browser enables a user to browse information  
received over said data transmission network;  
enabling selection of at least one scanner driver from a database storing a  
plurality of scanner drivers in response to said received information;

enabling selection from said browser of a location for storing scanning data in response to said received information, said location being selected from locations including locations other than said computer;  
transmitting said selected scanner driver to said computer; and  
inserting a destination address of the selected location for saving said scanning data in a self-extracting executable file,  
wherein the destination address is extracted from the self-extracting executable file if the self-extracting executable file is executed by said computer.

31. (Canceled)

32. (Previously Presented) The server of claim 25 wherein said selected driver is transferred to said computer over a file transfer protocol connection.

33. (Previously Presented) The server of claim 25 wherein said destination selection system enables said user to select a location from said browser by indicating the location in a text box provided by said browser.

34. (Previously Presented) The method of claim 30 wherein said selected scanner driver is transmitted to said computer over a file transfer protocol connection.

35. (Previously Presented) The method of claim 30 wherein enabling selection of a location includes enabling selection of a location indicated in a text box provided by said browser.

36. (Canceled)

37. (Previously Presented) The server of claim 38, further comprising means for authenticating the user.

38. (Currently Amended) A server configured to enable a user at a remote computer to scan a document at a scanner to obtain scanning data, the server comprising:

means for storing multiple scanner drivers;

means for enabling the user to select a driver for the scanner from the means for storing in response to one or more inputs provided to a browser hosted at the remote computer, wherein the browser enables the user to browse information received over a data transmission network, and wherein the server receives the one or more inputs over a data transmission network;

means for enabling the user to select a location from the browser for saving the scanning data, wherein the user selects the location from multiple locations including locations other than the remote computer;

means for transferring the selected driver to the remote computer in a self-extracting file, wherein the self-extracting file includes the selected location, and wherein the selected location is extracted from the self-extracting file if the self-extracting file is executed by the remote computer;

and

means for installing the selected driver at the remote computer.

39. (Previously Presented) The server of claim 38, further comprising means for storing scanning data of the user.

40. (Previously Presented) The server of claim 39, further comprising means for enabling the user to view the stored scanning data.

41. (Canceled)

42. (Currently Amended) A computer-implemented method for scanning an original, the method comprising:

receiving at a first computer a request for authentication from a second computer coupled to a scanner, wherein the second computer does not have a driver for the scanner;

authenticating the second computer;

determining one or more scanner drivers that may be used for scanning, wherein at least one of the scanner drivers may be used by the second computer to operate the scanner;

providing an indication of the one or more scanner drivers to the second computer;

receiving a selection of a scanner driver from the second computer;

receiving a selection of a location for storing scanning data from the second computer, wherein the location is selected from locations including locations other than the second computer; and

providing the selected scanner driver to the second computer, wherein providing the selected scanner driver to the second computer includes providing the selected scanner driver as a self-extracting file to the second computer, wherein the selected location is provided in the self-extracting file, and wherein the selected location is extracted from the self-extracting file if the self-extracting file is executed by the second computer.

43. (Previously Presented) The computer-implemented method of claim 42 wherein receiving a selection of a location for storing scanning data from the second computer includes receiving a selection of a location to which the first computer is coupled, and wherein the method further comprises:

receiving a request to view stored scanning data from the second computer;

accessing the location to which the first computer is coupled;

retrieving the stored scanning data; and

providing the stored scanning data to the second computer.



44. (Previously Presented) The computer-implemented method of claim 42, further comprising:

determining whether the second computer has permissions necessary to store scanning data at the location; and  
providing a warning to the second computer if the second computer does not have permissions necessary to store scanning data at the location.

45. (Previously Presented) The computer-implemented method of claim 42 wherein the location is selected from at least one of a storage medium, an email address and a Uniform Resource Locator (URL).